

BLANCHARD RENTAL SERVICES

YOUR ONE STOP SHOP FOR ALL YOUR EQUIPMENT AND JOB SITE NEEDS.



BLANCHARD



BlanchardMachinery.com

RENTAL PRODUCTS

SCISSOR LIFTS

Model	Platform Height	Lift Capacity
Genie GS-1930	19 ft	500 lb
Genie GS-2632	26 ft	500 lb
Genie GS-2646	26 ft	1,000 lb
Genie GS-2646 AV	26 ft 6 in	900 lb
Genie GS-3246	32 ft	700 lb
Genie GS-4069 DC	40 ft	800 lb



Model	Platform Height	Lift Capacity
GR20 Electric Runabout	20 ft	350 lb

Model	Platform Height	Lift Capacity
2668RT	26 ft	1,250 lb
3268RT	32 ft	1,000 lb

ARTICULATED BOOM LIFTS

Model	Platform Height	Horizontal Reach	Lift Capacity
Genie Z30/20N	30 ft	21 ft 5 in	500 lb
Genie Z34/22	34 ft	22 ft 3 in	500 lb
Genie Z34/22N	34 ft	22 ft 3 in	500 lb
Genie Z40/23N & Z	40 ft	22 ft 8 in	500 lb
Genie Z45/25	45 ft	25 ft	500 lb
Genie Z60/34	60 ft	36 ft 6 in	500 lb
Genie Z80/60	80 ft	60 ft	500 lb
Genie ZX135/70	135 ft	70 ft	500 lb



STRAIGHT BOOM LIFTS

Model	Platform Height	Horizontal Reach	Lift Capacity
Genie S40	40 ft	31 ft 8 in	500 lb
Genie S45	45 ft	36 ft 8 in	500 lb
Genie S60X	60 ft	50 ft 10 in	1,000 lb
Genie S65	65 ft	56 ft 2 in	500 lb
Genie S80X	80 ft	71 ft 6 in	1,000 lb/500 lb*
Genie S85	85 ft	76 ft 6 in	500 lb
Genie S125	125 ft	80 ft	500 lb



*Maximum outreach zone/maximum capacity zone

WELDER PRODUCTS

Model
400 Amp



TRUCKS

Model	Make	Tank Capacity
WT2000	Ford F600	2,000 gal
Dump Truck	Leadwell	5 -7 yd



POWER RENTAL OPTIONS

GENERATORS

Model	kW	Voltage
XQ60	60	208-480
XQ80	80	208-480
XQ100	100	208-480
XQ200	200	208-480
XQ300	300	208-480



*Additional sizes also available

COMPRESSORS

Model	Make	CFM	PSI
185	Sullair	185	100
375HH	Sullair	375	100-200
XAVS400	Atlas Copco	400	100-200
XATS950	Atlas Copco	950	100-150
XRVS1000	Atlas Copco	1,000	200-365
XRVS1350	Atlas Copco	1,350	200-365
1600HAF	Sullair	1,600	100-150
XAS1800	Atlas Copco	1,800	100-150



PORTABLE FUEL TANKS

Make	Model	Gallons
TransCube	RT30	792



MISCELLANEOUS COMPACTORS

Model	Description	Weight
BS60-4S	Rammer	154 lb
WP1550	Plate Compactor	203 lb
BMP 8500	Trench Roller	203 lb



DINGO

Model	HP	Weight
220	20 hp	1,576 lb
TRX427	27 hp	2,075 lb



WORK TOOLS FOR TORO DINGO

- Trencher
- Auger
- Power Rake
- Forks
- Leveler
- Roto Dairon

WATER WAGONS/TRUCKS

Model	Description
WW725	On-Highway Trucks - 2,000 and 4,000 gallon capacity



AG TRACTORS

Model	HP	Weight
465B	95 hp	9,198 lb
525B	100 hp	12,819 lb
T5050	95 hp	8,576 lb
T6030	115 hp	10,360 lb



WORK TOOLS FOR AG TRACTORS

- Box Blade
- Disc Harrow
- Rotary Tiller
- Post Hole Digger

LIGHT TOWERS

Model	HP	Operating Time	Tower	Lighting
Allmand NIGHT-LITE PRO II V-Series	13.3 hp	65 hrs w/o refueling	25 ft	4 - 1250 watt



BROOMS

Model	Size
Laymor	8HC (towable)



REVERSIBLE PLATE TAMP

Model
WACKER BPU3050



SKID STEER LOADERS

Model	HP	Weight	Lift Capacity / Tipping Load	Width
232	65.8 hp	6,213 lb	1,850 lb / 3,700 lb	58.9 in
242D	73.2 hp	6,980 lb	2,150 lb / 4,300 lb	66 in
246D	72.9 hp	7,424 lb	2,150 lb / 4,300 lb	66 in
262D	72.9 hp	8,011 lb	2,700 lb / 5,400 lb	66 in



COMPACT TRACK LOADERS

Model	HP	Weight	Lift Capacity / Tipping Load	Width
249D	65.8 hp	7,685 lb	2,300 lb / 4,600 lb	69 in
259D	73.2 hp	8,945 lb	2,900 lb / 5,800 lb	69 in
279D	72.9 hp	9,893 lb	2,935 lb / 5,870 lb	78 in
289D	72.9 hp	10,533 lb	3,800 lb / 7,600 lb	78 in
299D XHP	95 hp	11,612 lb	4,250 lb / 8,500 lb	78 in



SKID STEER/COMPACT TRACK LOADER WORK TOOLS

Cold Planer	Mower Decks	Buckets	Landscape Tillers
Forks	Angle Broom	Grapples	Harley Rakes
Auger	Pick Up Broom	Hammers	
Trenchers	Multi Purpose		

BACKHOE LOADERS

Model	HP	Weight	Digging Depth
415F	68 hp	24,251 lb	14 ft 3.6 in
416F	87 hp	14,881 lb	14 ft 3.6 in
420F	93 hp	15,201 lb	14 ft 3.6 in
420F IT	93 hp	15,201 lb	14 ft 3.6 in
430F	107 hp	15,708 lb	15 ft 4.92 in
430F IT	107 hp	15,708 lb	15 ft 4.92 in



*Hammers available

YES, WE RENT MORE THAN CAT MACHINES



MINI EXCAVATORS

Model	HP	Weight	Digging Depth	Width
300.9D	13 hp	2,061 lb	5 ft 8 in	2 ft 4.8 in
303	23.5 hp	7,782 lb	9 ft	5 ft
303.5E CR	31.6 hp	8,139 lb	9 ft 6 in / 10 ft 4 in	5 ft 10 in
305E CR	40.2 hp	11,217 lb	10 ft 9 in / 12 ft 1 in	6 ft 6 in
307	50.6 hp	16,028 lb	13 ft 5 in	7 ft 3 in
308E2 CR SB	65 hp	18,519 lb	13 ft 7 in / 15 ft 5 in	7 ft 7 in

*Digging Depth with standard/long stick



EXCAVATORS

Model	HP	Weight	Digging Depth	Reach
313 FGC	70 hp	29,800 lb	19 ft 9 in	28 ft 3 in
312E	91 hp	33,080 lb	19 ft 10 in	27 ft 8 in
315	97 hp	37,794 lb	19 ft 6 in	28 ft 6 in
316E	113 hp	38,801 lb	21 ft 7 in	29 ft 6 in
320E L	153 hp	54,450 lb	24 ft 10 in	30 ft 9 in
320E LRR	153 hp	56,440 lb	22 ft 1 in	32 ft 4 in
323F	161 hp	50,900 lb	22 ft 1 in	32 ft 4 in
324E	190 hp	64,990 lb	22 ft 4 in	33 ft 2 in
324D LR	190 hp	69,980 lb	47 ft 11 in	61 ft
328D LCR	204 hp	87,850 lb	22 ft 8 in	34 ft 8 in
329E	228 hp	68,958 lb	23 ft 9 in	35 ft
336E L	300 hp	86,200 lb	24 ft 7 in	36 ft 2 in
336E H Hybrid	286 hp	82,000 lb	24 ft 7 in	36 ft 2 in
349E L	396 hp	117,500 lb	26 ft 10 in	39 ft 9 in

**Hydraulic Thumbs available



EXCAVATOR HAMMERS

Model	Energy Class	Machine Compatibility	Blows per Minute
H25D	150 ft-lbf	300.9	1,900
H55	600 ft-lbf	246D	600-1,680
H120	3000 ft-lbf	(315 - 329)	350-620



TRACK-TYPE TRACTORS

Model	HP	Weight	Blade Width	Blade Capacity
D3K2	74 hp	17,004 lb	9 ft 1.5 in	2.59 yd ³
D5K2 XL	104 hp	20,534 lb	9 ft 1.5 in	2.86 yd ³
D5K2 LGP	104 hp	21,266 lb	10 ft 6.7 in	3.06 yd ³
D6K2 XL	130 hp	29,346 lb	10 ft 6 in	4.01 yd ³
D6K2 LGP	130 hp	30,750 lb	12 ft	4.38 yd ³
D6N XL	150 hp	36,392 lb	10 ft 4.2 in	4.16 yd ³
D6N LGP	150 hp	39,895 lb	13 ft 4.68 in	4.13 yd ³
D6T XL (VPAT)	230 hp	52,167 lb	12 ft 9.6 in	6.19 yd ³
D6T LGP (VPAT)	230 hp	53,651 lb	13 ft 8.4 in	5.5 yd ³
D8T STD	317 hp	87,733 lb	12 ft 10.8 in	11.4 yd ³

**Accugrade™ Laser/GPS Grade Control

**Available with rear ripper or rear winch



ARTICULATED TRUCKS

Model	HP	Rated Payload	Weight - Empty
725C	314 hp	26 tons	51,191 lb
730C	367 hp	31 tons	53,131 lb
735B	437 hp	36 tons	71,758 lb
745C	740 hp	45.2 tons	73,634 lb
912HM Hydrema Truck	131 hp	11 tons	19,047 lb



MOTOR GRADERS

MODEL	HP	Weight	Blade
120M2	145 hp	39,892 lb	12 ft
12M	173 hp	33,064 lb	12 ft
140M	183 hp	41,868 lb	12 ft
140M2	193 hp	43,686 lb	12 ft
Leeboy 685	110 hp	15,200 lb	10 ft

844-252-6242

BLANCHARD



THE
RENTAL
STORE

BlanchardMachinery.com



WHEEL LOADERS

Model	HP	Weight	Bucket Capacity (yd ³)
908	84 hp	14,200 lb	1.4 yd ³
914M	100 hp	19,315 lb	1.3-1.9 yd ³
926	153 hp	28,770 lb	2.5 yd ³
930K	154 hp	30,479 lb	3.0 yd ³
938K	169 hp	35,104 lb	3.65 yd ³
950K	211 hp	42,811 lb	4.0 yd ³
962	250 hp	44,591 lb	3.3 yd ³
966	276 hp	51,176 lb	4.19 yd ³
972	299 hp	54,871 lb	4.19 yd ³
980	386 hp	66,337 lb	5.25 yd ³

**Forks



TELEHANDLERS

Model	Rated Load Capacity	Max Lift Height	Max Forward Reach
TH255C	5,500 lb	18.3 ft	10 ft 8 in
TL642	6,500 lb	42 ft	30 ft
TL1055	10,000 lb	55 ft	42 ft 6 in
TL1255	12,000 lb	55 ft	42 ft 6 in

Telehandler Attachments

Bucket - 1.31 yd³, Lift Hook,
Material Handling Arm, Truss Boom



TANDEM VIBRATORY ROLLERS

Model	HP	Weight	Compaction Width
CB14B	22.5 hp	3,351 lb	39 in
CB24B	36.2 hp	6,003 lb	47 in
CB34B	48.8 hp	8,155 lb	51 in
CB44B (solid drum)	102 hp	18,056 lb	59 in
CB54B (solid drum)	133.2 hp	21,407 lb	67 in
CB54XW	137 hp	26,230 lb	79 in
CB64	137 hp	28,616 lb	84 in

PNEUMATIC ASPHALT ROLLERS

Model	HP	Weight	Compaction Width
CAT CW14	100.5 hp	28,528 lb	68 in



PAVING RENTAL EQUIPMENT

SMALL PAVERS

Model	Weight	Paving Range	HP	Class
Leeboy 8520	19,760 lb	Variable up to 15'	106 hp	Commercial Class Paver



ROAD WIDENER EQUIPMENT

Model	HP	Weight	Widening
Weiler W430A	49	12,200 lb	6 ft 8 in



FORKLIFTS

Model	Lift Capacity	Power
5000	5,000 lb	Dual Fuel
6000	6,000 lb	Dual Fuel



VIBRATORY SOIL COMPACTORS


Model	HP	Weight	Compaction Width
CS44	100 hp	15,961 lb	66 in
CP44	100 hp	16,832 lb	66 in
CS54B	131 hp	23,265 lb	84 in
CP54B	131 hp	24,539 lb	84 in
CS56B	157 hp	25,346 lb	84 in
CP56B	157 hp	25,707 lb	84 in
CP433	100 hp	15,750 lb	66 in



600+
DEDICATED
EMPLOYEES



8 RENTAL LOCATIONS



WORLD CLASS CUSTOMER SERVICE



AVAILABLE



FAMILY OWNED
SINCE
1982



**NATIONWIDE
DEALER
NETWORK**



SO YOU CAN GET THE
EQUIPMENT YOU NEED,
WHEN YOU NEED IT.

**LOCALLY
OWNED AND
OPERATED**



**WE'VE
GOT YOU
COVERED!**



FROM SMALL WORKTOOLS TO EXCAVATORS AND DOZERS

COLUMBIA
(803) 754-7368

MYRTLE BEACH
(843) 399-1692

FLORENCE
(843) 678-8520

ROCK HILL
(803) 324-9600

GREENVILLE
(864) 672-0400

SPARTANBURG
(864) 583-7667

HILTON HEAD
(843) 784-6766

SUMMERVILLE
(843) 875-5567

**844-BLANCHARD
(252-6242)**

BLANCHARD



 www.facebook.com/blanchardmachinery

BlanchardMachinery.com

Equipment specifications, availability, and rental rates are subject to change.

© 2019 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. www.cat.com / www.caterpillar.com